



Assembly instructions
Notice de montage
Montage instructies
Montageanleitung
Istruzioni di montaggio
Instrucciones de montaje
Инструкция по сборке
Instrukcje montażu




PARTS AND TOOLS LIST

A




1pc

B




1pc

C




1pc

D




4pcs

E




4pcs

F



1pc



the 1990s, the incidence of *S. flexneri* has increased in the United Kingdom [10]. In the United States, *S. flexneri* has been reported to be the most common serotype of *Shigella* isolated from children with shigellosis [11]. In the United Kingdom, *S. flexneri* serotype 3 is the most common serotype isolated from children with shigellosis [12].

There is a paucity of data on the epidemiology of *S. flexneri* in the United Kingdom. In the 1980s, *S. flexneri* was the most common serotype of *Shigella* isolated from children with shigellosis in the United Kingdom [13]. In the 1990s, *S. flexneri* serotype 3 was the most common serotype isolated from children with shigellosis in the United Kingdom [12]. In the 2000s, *S. flexneri* serotype 3 was the most common serotype isolated from children with shigellosis in the United Kingdom [14].

The aim of this study was to determine the prevalence of *S. flexneri* in children with shigellosis in the United Kingdom. The study was conducted in the United Kingdom, where *S. flexneri* is the most common serotype of *Shigella* isolated from children with shigellosis [12]. The study was conducted in the United Kingdom, where *S. flexneri* is the most common serotype of *Shigella* isolated from children with shigellosis [12].

The study was conducted in the United Kingdom, where *S. flexneri* is the most common serotype of *Shigella* isolated from children with shigellosis [12]. The study was conducted in the United Kingdom, where *S. flexneri* is the most common serotype of *Shigella* isolated from children with shigellosis [12].

The study was conducted in the United Kingdom, where *S. flexneri* is the most common serotype of *Shigella* isolated from children with shigellosis [12]. The study was conducted in the United Kingdom, where *S. flexneri* is the most common serotype of *Shigella* isolated from children with shigellosis [12].

The study was conducted in the United Kingdom, where *S. flexneri* is the most common serotype of *Shigella* isolated from children with shigellosis [12]. The study was conducted in the United Kingdom, where *S. flexneri* is the most common serotype of *Shigella* isolated from children with shigellosis [12].

The study was conducted in the United Kingdom, where *S. flexneri* is the most common serotype of *Shigella* isolated from children with shigellosis [12]. The study was conducted in the United Kingdom, where *S. flexneri* is the most common serotype of *Shigella* isolated from children with shigellosis [12].

The study was conducted in the United Kingdom, where *S. flexneri* is the most common serotype of *Shigella* isolated from children with shigellosis [12]. The study was conducted in the United Kingdom, where *S. flexneri* is the most common serotype of *Shigella* isolated from children with shigellosis [12].

The study was conducted in the United Kingdom, where *S. flexneri* is the most common serotype of *Shigella* isolated from children with shigellosis [12]. The study was conducted in the United Kingdom, where *S. flexneri* is the most common serotype of *Shigella* isolated from children with shigellosis [12].

The study was conducted in the United Kingdom, where *S. flexneri* is the most common serotype of *Shigella* isolated from children with shigellosis [12]. The study was conducted in the United Kingdom, where *S. flexneri* is the most common serotype of *Shigella* isolated from children with shigellosis [12].

The study was conducted in the United Kingdom, where *S. flexneri* is the most common serotype of *Shigella* isolated from children with shigellosis [12]. The study was conducted in the United Kingdom, where *S. flexneri* is the most common serotype of *Shigella* isolated from children with shigellosis [12].